



CorePro LEDspot Reflectors

CorePro LEDspot CorePro LEDspotMV ND 3.7-60W 827 R80 40D

CorePro LEDspots Reflectors are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots Reflectors deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	3.7-60W
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	40 °
Luminous Flux (Nom)	370 lm
Luminous Flux (Rated) (Nom)	370 lm
Luminous Intensity (Nom)	850 cd
Color Designation	Warm White (WW)
Rated Beam Angle	40 °
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80


LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	370 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	3.7 W
Lamp Current (Nom)	32 mA
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	1 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	67 °C
Controls and Dimming	
Dimmable	No

CorePro LEDspot Reflectors

Approval and Application	
Energy Efficiency Label (EEL)	A++
Energy Saving Product	Yes
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	4 kWh
Product Data	
Full product code	871869658406400
Order product name	CorePro LEDspot CorePro LEDspotMV ND 3.7-60W 827 R80 40D

EAN/UPC - Product	8718696584064
Order code	929001235602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001235602
Net Weight (Piece)	0.088 kg



Dimensional drawing



R80 220-240V 6W-60W 345lm 2700K E27 ND

Product	D	C
CorePro LEDspot CorePro LEDspotMV ND 3.7-60W 827 R80 40D	80 mm	113 mm

Photometric data



CorePro LEDspotMV ND 3.7-60W R80 40D

CorePro LEDspot Reflectors

Photometric data

