

PRODUCT-DETAILS

RI230

RI230 Bell



General Information

Extended Product Type	RI230
Product ID	2CSM232335R0821
EAN	8012542323358
Catalog Description	RI230 Bell
Long Description	The range of bell and buzzer includes modular versions as 12V or 230V types for acoustic signaling in residential and commercial sectors as well as industry application such as alarms notification, supervision and intensive use (schools, factories etc...). To complete the offering TSM and TSR versions also include a transformer: the input is 230V a.c. and the bell is supplied in 12 or 24 V.

Technical

Standards	EN 62080
Rated Voltage (U _r)	230 V AC
Rated Frequency (f)	50/60 Hz
	6 V-A
Sound / Tone Type	Intermittent
Sound dB (A)	Bell (0.6 m) 80 dB Buzzer (0.6 m) 70 dB
Mounting Position	Flexible
Remarks	Discontinuous operations: the device need rest time between two consecutive functionings

Cable Cross-Section

Maximum 4 mm²

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	9AKK107492A4194
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	1
Product Net Width	18 mm
Product Net Height	87.5 mm
Product Net Depth / Length	60 mm
Product Net Weight	63 g

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	83 g

Certificates and Declarations

Declaration of Conformity - CE	9AKK107492A4194
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107991A8330
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107991A8330
-----------------------------------	-----------------

Classifications

ETIM 8	EC000131 - Bell
ETIM 9	EC000131 - Bell
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85311030
eClass	V11.0 : 27143219

Object Classification
Code

H

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling Devices → Bells and buzzers



360°